

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

December 11, 1903 2184

Monclova I believe all mosquitoes are dead, and do not expect to hear

of any more cases there.

We left Monclova at about 1.30 p. m. for Reata, which place was reached at 4 p. m. Reata is only a small place, the junction of the Monterey branch of the Mexican International Railroad with the main line. A detention camp is in operation there, where all persons coming from Monterey are held for a period of five days prior to their entering any other towns in Mexico.

Reata has an altitude of 3,000 feet, and is situated near the mountains. It is a fine place for a detention camp, which is located 1 kilometer east of the station, but the conditions at the camp are not

satisfactory.

One case of yellow fever, moribund, was found in the camp. There is no possibility of spread of yellow fever at Reata.

The climate is rather cool all of the time. There was ice on 18th, 19th, and 20th instants.

Inspection at El Paso, Tex.

Acting Assistant Surgeon Alexander reports, November 28, as follows: Week ended November 28, 1903—Mexican Central passengers inspected, 296; Mexican immigrants inspected, 83; disinfection of soiled linen imported for laundry, 514 pieces; fumigation of carload of fruit in boxes imported from Tampico.

Measures against smallpox in northern Maine, Canadian border.

Acting Assistant Surgeon Hammond, at Van Buren, Me., reports, December 3, through Surgeon Kalloch, the disinfection of 12 houses and quarantining of 20, and the presence of 65 cases of smallpox in the Madawaska region during the month of November.

Statistical reports of States and cities of the United States—Yearly and monthly.

Connecticut—Stamford.—Month of October, 1903. Estimated population, 18,000. Total number of deaths not reported. No deaths from contagious diseases.

Illinois—*Peoria*.—Month of November, 1903. Census population, 56,100. Total number of deaths 66, including diphtheria 4, enteric fever 2, and 6 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended November 28, 1903, from 74 observers, indicate that enteric fever, scarlet fever, pleuritis, pneumonia, measles, and inflammation of the brain were more prevalent, and diphtheria, remittent fever, dysentery, whooping cough, inflammation of bowels were less prevalent.

Meningitis was reported present at 1 place, whooping cough at 9, measles at 23, smallpox at 37, diphtheria at 39, scarlet fever at 59, enteric fever at 67, and phthisis pulmonalis at 182 places.

NEW HAMPSHIRE—Franklin.—Month of November, 1903. Esti-

2185

December 11, 1903

mated population, 6,000. Total number of deaths, 10. No deaths from contagious diseases.

NORTH CAROLINA.—Reports to the State board of health for the month of October, 1903, from 26 towns, having an aggregate population of 154,200—white 90,350, colored 63,850—show a total of 258 deaths—white 114, colored 144—including diphtheria 3, enteric fever 9, whooping cough 8, and 29 from phthisis pulmonalis.

Charlotte.—Month of November, 1903. Estimated population, 30,000. Total number of deaths, 24, including enteric fever 1, and 1 from phthisis pulmonalis.

Ohio—*Cincinnati*.—Month of October, 1903. Estimated population, 336,000. Total number of deaths, 414, including diphtheria 11, enteric fever 6, measles 1, scarlet fever 5, and 57 from tuberculosis.

Cleveland.—Month of October, 1903. Estimated population, 420,000. Total number of deaths, 459, including diphtheria 29, enteric fever 22, scarlet fever 2, whooping cough 1, smallpox 1, and 37 from tuberculosis.

Toledo.—Month of October, 1903. Estimated population, 150,000. Total number of deaths, 142, including diphtheria 15, enteric fever 6, whooping cough 1, and 14 from tuberculosis.

Pennsylvania—Columbia.—Month of December, 1903. Estimated population, 13,000. Total number of deaths, 11, including enteric fever 9, and 2 from scarlet fever.

Dunmore.—Month of November, 1903. Estimated population, 15,000. Total number of deaths, 10. No contagious diseases reported.

Pottsville.—Month of November, 1903. Estimated population, 15,710. Total number of deaths, 21, including 1 from diphtheria.

Wisconsin—*Milwaukee*.—Month of October, 1903. Estimated population, 315,000. Total number of deaths, 323, including diphtheria 7, enteric fever 6, and 39 from tuberculosis.

Report of immigration at Boston.

Office of the Commissioner of Immigration, Boston, Mass., November 28, 1903.

Number of alien immigrants who arrived at this port during the week ended November 28, 1903; also names of vessels and ports from which they came.

Date of arrival.	Vessel.	Where from.	Number of immi- grants.
Nov. 22 23 24 26 28 28	Boston Admiral Farragut Cestrian Boston. Halifax. Romanic	Yarmouth, Nova Scotia. Jamaica, West Indies. Liverpool, England. Yarmouth, Nova Scotia. Halifax, Nova Scotia Liverpool, England.	5 1 97 46